



**ADDENDUM NO. 2
TO
BID PROPOSAL & SPECIFICATIONS
FOR
SPEED HUMP, SPEED TABLE AND RAISED CROSSWALK
SYSTEM INSTALLATION**

P.W. 282-19

**ISSUED
June 28, 2021**

This Addendum No. 2 must be signed by the bidder and attached to the CONTRACT PROPOSAL PACKAGE for consideration by the City. The City reserves the right to disregard any proposal which does not include this Addendum. The City may waive this requirement at its sole discretion.

SEE ATTACHED ADDENDUM ITEMS

Prepared By:
Junming Li

Approved By:


Scott Buenting, P.E.
Project Manager



BIDDER'S CERTIFICATION

I acknowledge receipt of this Addendum No. 2 and accept all conditions contained herein.

Bidder

By:

ADDENDUM NO. 2

Speed Hump, Speed Table and Raised Crosswalk System Installation P.W. 282-19

Issued June 28, 2021

- 1) Condition #2 of Addendum No. 1 is amended to state the following:
"Vibratory equipment shall NOT be used within EBMUD right of way.
 - a. For the removal of the sidewalk curb and gutter, the Contractor shall cut concrete into small enough sections which they can pull it up with a backhoe or other equipment rather than using a breaker or jackhammer.
 - b. For the compaction of the subgrade, the Contractor shall use a walk behind vibraplate or a roller in static mode."