



**ADDENDUM NO. 1**  
**TO**  
**CONTRACT DOCUMENTS**  
**FOR**  
**PREWETT PARK DECK COATING REPLACEMENT**  
**IN**  
**ANTIOCH, CALIFORNIA**  
**P.W. 567-8**

**ISSUED**  
**DECEMBER 11, 2019**

This Addendum No. 1 must be signed by the bidder and attached to the CONTRACT PROPOSAL PACKAGE for consideration by the City. The City reserves the right to disregard any proposal, which does not include this Addendum. The City may waive this requirement at its sole discretion.

**SEE ATTACHED ADDENDUM ITEMS**

Prepared By:   
Scott Buening, P.E.



**BIDDER'S CERTIFICATION**

I acknowledge receipt of this Addendum No. 1 and accept all conditions contained herein.

\_\_\_\_\_  
Bidder

\_\_\_\_\_  
By:

# ADDENDUM NO. 1

## Prewett Park Deck Coating Replacement P.W. 567-8

Issued December 11, 2019

- 1) Section C-9, "Deck Coating", is amended to include the following:

"Material Testing:

The Contractor shall be responsible for, and shall pay for, all quality control and off-site tests of materials. The Engineer shall have the right to witness all off-site tests and the Contractor shall furnish adequate notice of when tests will be made.

The Contractor shall be responsible for, and shall pay for, all source quality control and all on-site tests of materials. The Engineer shall have the right to witness all on-site tests performed by the Contractor and the Contractor shall furnish adequate notice of when such tests shall be made.

When, in the opinion of the Engineer, additional tests or inspections are required because of the manner in which the Contractor executes its work, such tests and inspections will be paid for by the City but will be deducted from monies due the Contractor. Examples of such additional tests and inspections are: tests of materials substituted for previously accepted materials, or substituted for specified materials, or retests made necessary by failure of material to comply with the requirements of the Contract Documents.

The Contractor, at their own expense, shall submit certified copies of testing reports of materials compliance in accordance with the latest standards and methods of American Society for Testing Materials (ASTM), or commonly recognized standards of national organizations. Test report shall include, but not be limited to, the following items:

- Weighs lbs./ft @ (3/16"): 1.3 lbs.
- Thickness (Typical): 3/16"
- Bond Strength (ASTM C297): 469 psi
- Accelerated Aging (ASTM A756 D&E): Unaffected
- Freeze-Thaw (ASTM C67): No Breakage < .62 in
- Concentrated Load Test (500 lbs.): No Breakage / < .001 in
- "Slip Resistance (Static Coefficient of Friction, ASTM C1028): 0.81 wet-1.03 dry
- Abrasion (ASTM D1242): 0.328 in
- Absorption (ASTM D570): 12.7%
- Percolation (ASTM D1242) 48"/48hr: < 0.62 in
- Chemical Resistance (ASTM D2299) 12 Reagents: Unaffected
- Impact Resistance (Mil D3134): No Breakage / < 0.62 in"

- 2) The last paragraph of Section C-9, "Deck Coating", is amended to state the following:

"The contract price paid per square foot for removing and replacing deck coating shall include full compensation for furnishing all labor, materials, tools, equipment, and incidentals, and for doing all the work involved in removing and replacing deck coating, including surface preparation, concrete patching and crack repairs, surface cleaning and masking, installing primer/additive, basecoat, coating and finish coating and material testing, complete in place, as shown on the City of Antioch Construction Details, as specified in the Standard Specifications and these Special Provisions, and as directed by the Engineer."