

# ADDENDUM NO. 1

# TO CONTRACT DOCUMENTS FOR THE SANITARY SEWER MAIN TRENCHLESS REHABILITATION AND FACILITIES INSTALLATION IN ANTIOCH, CALIFORNIA P.W. 684

# ISSUED NOVEMBER 14, 2016

This Addendum No. 1 must be signed by the bidder and attached to the CONTRACT PROPOSAL PACKAGE for consideration by the City. The City reserves the right to disregard any proposal, which does not include this Addendum. The City may waive this requirement at its sole discretion.

## SEE ATTACHED ADDENDUM ITEMS

Prepared By:Scott Buenting, P.E.	γ 
BIDDER	S'S CERTIFICATION
I acknowledge receipt of this Addendum	n No. 1 and accept all conditions contained herein.
	a v
Ridder	Rv

- 1) Item 'A' of Section 02520, "Concrete Restoration", Subsection 1.01 "Requirements" of the Specifications, states the following:
  - "The Contractor shall furnish all labor, materials, and equipment necessary to restore curbs, gutters, sidewalks, driveways and other concrete facilities removed, damaged or displaced during the course of the work at no additional cost to the City."
- 2) Item 'A' of Section 02650, "Sanitary Sewer Lateral Cleanouts", Subsection 3.01, "General" of the Specifications is amended to state the following:
  - "The sanitary sewer lateral cleanout shall be installed within the City's right of way with the center of the cleanout located approximately one foot (1') from the edge of the right of way. These locations may be within concrete sidewalk, concrete driveway or landscape areas."
- 3) The attached "Revised Acknowledgement of Insurance Requirements" shall be submitted in lieu of the original "Acknowledgement of Insurance Requirements".
- 4) The attached "Revised Schedule of Bid Prices" shall be submitted in lieu of the "Schedule of Bid Prices".
- 5) Sheet 5 of the Project Plans is amended to include the following:
  - "Manholes F22-9-001 and F22-9-006 shall be sixty inches (60") in diameter and constructed in conformance with the attached Central Contra Costa Sanitation District detail DWG-2, "Standard Trunk Manhole."

# **REVISED**

# **ACKNOWLEDGMENT OF INSURANCE REQUIREMENTS**

INCLUDED IN THE BID PRICE IS FULL COMPENSATION FOR PROCURING THE FOLLOWING REQUIRED INSURANCE

a.	PERSONAL INJURY AND PROPERTY DAMAGE LIABILITY INSURANCE of not less than limits of
	FIVE MILLION DOLLARS (\$5,000,000) per occurrence and FIVE MILLION DOLLARS (\$5,000,000) in the annual aggregate
b.	AUTOMOBILE LIABILITY INSURANCE of not less than limits of
	FIVE MILLION DOLLARS (\$5,000,000) per occurrence/accident
c.	WORKERS' COMPENSATION INSURANCE, as per statutory requirement.
d.	EMPLOYER'S LIABILITY INSURANCE of not less than
	ONE MILLION DOLLARS (\$1,000,000) per accident and ONE MILLION DOLLARS (\$1,000,000) each employee by disease.
Signa	ture of Bidder/Title Date

END OF ACKNOWLEDGEMENT OF INSURANCE REQUIREMENTS

Title: Sanitary Sewer Main Trenchless Rehabilitation and Facilities Installation in Antioch, CA (P.W. 684) Bids to be received by 2:00 p.m. November 22, 2016 Office of the City Clerk, City Hall, Antioch, CA

# **REVISED SCHEDULE OF BID PRICES**

Item No.	Unit	Quantity	Description	Unit Price	Extended Amount
1.	LS	1	Mobilization, complete in place for the lump sum price	\$	\$
2.	LS	1	Traffic Control, complete in place for the lump sum price	\$	\$
3.	LS	1	Removals and Abandonments, complete in place for the lump sum price	\$	\$
4.	LS	1	Sewer Flow Control, complete in place for the lump sum price	\$	\$
5.	LF	15,500	Cleaning 6-inch Diameter Sanitary Sewer, complete in place for the unit price per lineal foot	\$	\$
6.	LF	4,500	Cleaning 8-inch Diameter Sanitary Sewer, complete in place for the unit price per lineal foot	\$ 5	\$
7.	LF	300	Cleaning 21-inch Diameter Sanitary Sewer, complete in place for the unit price per lineal foot	\$ 5	\$
8.	EA	20	Spot Repairs of Existing Sanitary Sewer Mains, complete in place for the unit price per each	\$	\$
9.	EA	40	Removal of Protruding Service Lateral Taps, complete in place for the unit price per each	\$ 5	\$
10.	LS	15,500	Rehabilitation of 6-inch Diameter Sanitary Sewer by Cured-in-Place Pipe Method, complete in place for the lump sum price	\$	\$
11.	LF	4,500	Rehabilitation of 8-inch Diameter Sanitary Sewer by Cured-in-Place Pipe Method, complete in place for the unit price per lineal foot	\$	\$
12.	LF	300	Rehabilitation of 21-inch Diameter Sanitary Sewer by Cured-in-Place Pipe Method, complete in place for the unit price per lineal foot	\$	\$

Item No.	Unit	Quantity	Description	Unit Price	Extended Amount
13.	EA	475	Reinstatement of Existing Sanitary Sewer Laterals, complete in place for the unit price per each	\$	\$
14.	LF	375	Installation of New 8-inch Diameter SDR 26 Sanitary Sewer Main, complete in place for the unit price per lineal foot	\$	\$
15.	LF	700	Installation of New 4-inch Diameter SDR 26 Sanitary Sewer Lateral, complete in place for the unit price per lineal foot	\$	\$
16.	EA	485	Installation of New Sanitary Sewer Lateral Cleanouts, complete in place for the unit price per each	\$	\$
17.	EA	32	Installation of New 48-inch Sanitary Sewer Manholes, complete in place for the unit price per each	\$	\$
18.	EA	2	Installation of New 60-inch Sanitary Sewer Manholes, complete in place for the unit price per each	\$	\$
19.	LS	1	Pavement Markings, Stripes, Pavement Markers and Curb Paint, complete in place for the lump sum price	\$	\$
			TOTAL BID PRICE	\$	ñ

		TOTAL BID PRICE	\$
TOTAL BID PRICE:			A
	(Written in	Words)	
items. This certifies	that the prices in the		ions must be included in the bid ik as shown in the Plans and orking order.
Signature	of Bidder		
Company Na	me Printed		

# CENTRAL CONTRA COSTA SANITARY DISTRICT

MARTINEZ, CALIFORNIA

# STANDARD TRUNK MANHOLE

### **FOR 15" TO 45" LINES**

### NOTES:

standardSpecs\colsys\02\_StandardTrunkManhole.dwg

K:\Projects\

05-Aug-2014

- 1. LAY PIPE THRU MH WHEN POSSIBLE OR FORM CHANNEL TO MAINTAIN PIPE SECTION. TRUNK SEWER PIPES ENTERING OR LEAVING THE MH BASE SHALL HAVE A STANDARD JOINT LOCATED 12" TO 24" FROM THE
- 2. ALL STEEL REINF. SHALL HAVE 3" MINIMUM CONCRETE COVER.
- 3. SOUARE TOP BLOCKS SHALL BE USED IN EASEMENTS.
- ROUND TOP BLOCKS SHALL BE USED IN STREETS.
- 5. FOR CONNECTION OF MAIN OR SIDE SEWERS BELOW SHELF, SEE DWG-1.

**BASE SECTION A-A** 



