



ADDENDUM NO. 2

**TO
CONTRACT DOCUMENTS
FOR THE
SANITARY SEWER MAIN TRENCHLESS REHABILITATION
AND FACILITIES INSTALLATION
IN
ANTIOCH, CALIFORNIA
P.W. 684**

**ISSUED
NOVEMBER 17, 2016**

This Addendum No. 2 must be signed by the bidder and attached to the CONTRACT PROPOSAL PACKAGE for consideration by the City. The City reserves the right to disregard any proposal, which does not include this Addendum. The City may waive this requirement at its sole discretion.

SEE ATTACHED ADDENDUM ITEMS

Prepared By:


Scott Buenting, P.E.



BIDDER'S CERTIFICATION

I acknowledge receipt of this Addendum No. 2 and accept all conditions contained herein.

Bidder

By:

1) Section 02600, "Sanitary Sewer Laterals", Subsection 3.02, "Installation" of the Specifications is amended to include the following:

"C. Sanitary sewer service laterals shall be connected to new or existing sanitary sewer mains with a wye."

2) Section 02700, "Sanitary Sewer Manholes", Subsection 3.01, "Installation" of the Specifications is amended to include the following:

"K. The existing bases of manholes F22-9-001 and F22-9-006 shall not be removed. The Contractor shall rehabilitate the existing bases as needed to conform to the requirements within the Section 02700 – Sanitary Sewer Manholes."