

WHAT IS A FINAL DEVELOPMENT PLAN?

Land located in a Specific Plan and/or zoned "Planned Development District" (PD) or "Hillside Planned Development District" (HPD) are required to process a Final Development Plan application. The Final Development Plan establishes the land uses for a given area and may include a range of residential, commercial and/or industrial uses, which are mutually supportive and compatible with existing and proposed development on surrounding properties.

PROCESS

Step 1 - Project Consideration:

A prospective applicant should review the Municipal Code requirements for the proposed project and the Citywide Design Guidelines with Planning Division staff.

Step 2 – Pre-application Conference:

A pre-application conference is required. The pre-application conference is your opportunity to receive comprehensive information from each Division (Building, Engineering, Planning) regarding City requirements. You will also be given information on which outside agencies to consult prior to submitting your application such as the Fire Department or Environmental Health for example. It is strongly recommended that the applicant's design professional attend this meeting any draft plans be shared in advance.

A pre-application meeting can be scheduled by completing the <u>Pre-Application Meeting Request Form</u> on the Planning Division website at <u>www.antiochplanning.com</u>. A pre-application meeting cannot be scheduled until the Planning Division receives preliminary plans.

Step 3 – Preliminary Review of Plans:

This is an optional step. The assigned staff member can informally review a draft copy of your plans. Note that because all divisions will not be reviewing the draft plans, this is not a comprehensive review and comments may be made later in the process.

Step 4 – Submit the Application:

Please submit your application online through the City of Antioch Civic Access Portal https://antiochca-energovweb.tylerhost.net/apps/selfservice#/home. By using the online portal, you will be able to search records by APN or by address, Apply for various Building, Planning and Encroachment Permits, Schedule inspections and pay invoices. Necessary forms and material checklists are provided in this brochure.

Step 5 – Processing the Application:

Staff will check your application for completeness against the requirements contained in the following pages. Through the online portal, you will receive either a complete or incomplete letter from staff. Please note the "complete" letter marks the point your application is deemed to be complete for



processing timelines. An "incomplete" letter will provide documentation of items that must be submitted/resubmitted prior to your project being deemed complete.

Please be aware that planning applications will be automatically withdrawn if an applicant receives an incomplete letter and does not resubmit a substantive response within 120 calendar days. The Zoning Administrator may grant a written extension for up to an additional 90 calendar days when the applicant shows good cause for an extension. Delays due to circumstances outside the applicant's reasonable control will be considered good cause to grant the extension.

Environmental review will start once the application is complete. State Law requires that all applications processed by the City be in compliance with the California Environmental Quality Act (CEQA). Your assigned staff member gave you preliminary information about what type of CEQA document is expected to be required for your project.

Your plans will be routed to departments and divisions within the City and to applicable outside agencies for review and comment. Your assigned staff member will contact you with a summary of the comments that are received. At this point, depending on the comments, your project will either require adjustments or responses to comments or will be ready to be scheduled for a hearing(s).

Timing of a Tentative Subdivision Map / Final Development Plan application is variable, largely depending on the type of CEQA document required. A project requiring a Negative Declaration or Mitigated Negative Declaration could take six months. A project requiring an Environmental Impact Report could take as long as one year. Timelines start from the time an <u>application is deemed to be complete</u>.

Step 6 - Public Hearings:

A Final Development Plan requires two (2) public hearings, Planning Commission and City Council. The Planning Commission will make a recommendation to the City Council. The City Council will take final action on the request.

Property owners within 300 feet will be notified of the hearing, and the notice will also be published in the newspaper. There will be a fee of \$25 for each Public Hearing, in addition to the application fee.

At the hearings, staff will present a summary of your project and the recommendation. Staff will take clarification questions from the hearing body. The selected project spokesperson will then have 10 minutes to speak. This can be the property/business owner, design professional, or any other person best suited to explain your proposal and answer questions. All other persons wishing to speak regarding your item will then have an opportunity to speak. This includes members of the public who may support or oppose your project. Once all speakers are heard, the project representative will have an opportunity for a five-minute rebuttal. **Prior to your hearing, you are strongly encouraged to read and understand all conditions staff have proposed for your project.** These conditions may have significant impacts on project cost and timeliness.



APPLICATION SUBMITTAL CHECKLIST

form to the EnerGov/EPL City of Antioch Civic Access Portal.	
PROJECT BILLING STATEMENT OF UNDERSTANDING. The property owner (and applicant, if applicable) must complete and upload the form to the EnerGov/EPL Civic Access Portal.	
describes the general profile, bulk, setback specific architectural detail.	the three-dimensional form of a building and s, and size of the building, but does not contain at is drawn to scale and displays the following: (J) Parking lots and parking spaces. (K) Landscaped areas. (L) Setback distance between buildings and property lines. (M) Outline of existing and proposed buildings and structures. (N) Distance between buildings. (O) Ground sign location.
DEPOSIT. Refer to the <u>Planning Division Fee Chart</u> for the current application fee. A fee for State Department of Fish and Wildlife CEQA filing will apply, if applicable. Staff charges time and materials to your project account monthly. You will receive a bill for services based on an hourly rate as identified in the Master Fee Schedule. The initial deposit is not a fee and monthly charges will not be drawn from this deposit. Actual charges may be in excess of the deposit. The deposit will be returned at the conclusion of the process after all invoices have been paid. If invoices are not paid on a monthly basis, processing will be terminated until all past due amounts have been paid. Costs to prepare environmental documents or necessary studies are required to be paid up front by the applicant.	
PROJECT DESCRIPTION. A detailed summary (on a separate sheet and attached to the application) describing the characteristics of the proposed project.	
TITLE REPORT. Title report prepared within the past three months.	
ARBORIST REPORT. Arborist report prepared by an ISA Certified Arborist for the removal or disturbance of any protected tree on the site or adjacent property, which could be impacted by the	



proposed development. Please refer to the Municipal Code or inquire with staff regarding information on protected trees.

- PHOTOS. Upload several photos of the project site and adjacent development with the location noted.
 STREET NAMES. A list of proposed street names for review and approval by the City.
- □ **DEVELOPMENT PLANS.** If the application is filed in conjunction with other applications, such as design review, the submittal requirements from all applicable checklists shall be incorporated into one set of plans.

All plan sets should be in digital format, uploaded to the online portal on the attachments page and shall:

- o Include the date of preparation and dates of each revision.
- Be fully dimensioned and drawn to scale on the same size sheets, with a consistent scale (as noted) throughout all plan sheets.
- o Be numbered in proper sequence.

Staff may request additional plans if necessary.

The following plans shall comprise the development plan set:

- TITLE SHEET. Including project name, location, assessor's parcel numbers, any prior development approvals, and table of contents listing all the plan sheets with content, page numbers, and date prepared.
- TENTATIVE MAP/SITE PLAN. Drawn to an engineer's scale, large enough to show all information clearly, but not smaller than 1" = 100', with scale noted, a graphic bar scale, and north arrow. The plan shall include the following:
 - Vicinity map showing north arrow, the location and boundary of the project, major cross streets, and the existing street pattern in the vicinity.
 - Subdivision name and number, names and addresses of the applicant and all property owners of record, and the civil engineer or surveyor including their registration and license number.
 - Table with the following information:
 - General Plan and Zoning designations.
 - Size of property including gross & net lot area (square feet and acres).
 - For residential development, include the floor area for each unit type, the number of bedrooms, the number of units by type, the number of units per building, the total number of units, and net density.



- For commercial development, total floor area in each building (including basements, mezzanines, interior balconies, and upper stories or levels in a multistory building) and total building area and FAR (Floor Area Ratio = total floor area divided by total net land area).
- Percent lot coverage, percent of net lot area covered by buildings (total ground floor area of all buildings divided by net lot area).
- Percentage of net lot area devoted to landscaping, common open space and private useable open space.
- Parking requirements including tabulation of the number of parking spaces required and proposed based on building area, by type (standard, compact and accessible), and required and proposed parking ratios.
- Existing and proposed property lines with dimensions, bearings, radii and arc lengths, easements, and net & gross lot area for existing and proposed parcels.
- Location and dimensions of all existing and proposed structures extending 50 feet beyond the property. If adjacent to a street, show the entire width of street to the next property line, including driveways. Clearly identify all existing and proposed structures such as fencing, walls, all building features including decks and porches, all accessory structures including garages and sheds, mailboxes, and trash enclosures. Label all existing structures and indicate the structures to remain and the structures to be removed.
- Dimensions of setbacks from property lines and between structures.
- Location, dimension, and purpose of all easements (i.e., water, sewer, access, etc.)
 including sufficient recording data to identify the conveyance (book and page of
 official records).
- Location and dimensions for all adjacent streets (public and private) and proposed streets showing both sides of streets, street names, street width, striping, centerlines, centerline radii of all curves, median and landscape strips, bike lanes, pedestrian ways, trails, bridges, curb, gutters, sidewalks, driveways, and edge of right-of-way including any proposed or required right-of-way dedication. Show all existing and proposed improvements including traffic signal poles and traffic signs. Show line of sight for all intersections and driveways based on current City of Antioch standards.
- Location and dimensions of existing and proposed parking spaces, back-up, loading areas, and circulation patterns.
- Survey of all existing trees on the site and adjacent to the site with a trunk diameter of 4" or greater, indicating species, size (circumference or diameter noted) measured at 4-1/2" above grade, base elevation, and accurate trunk locations and drip lines. Identify all Heritage trees (trees over 72 inches in circumference measured 4-1/2 feet above natural grade; multi-stemmed trees with one stem of at least 24 inches in circumference).



- If any parcel is within a Federal Emergency Management Agency (FEMA) defined 100year floodplain or floodway:
 - Identify the floodplain or floodway on all plan sheets depicting the existing and proposed site, with the base flood elevation (BFE) and flood zone type clearly labeled. In addition, show the existing site topography and finish floor elevations for all existing and proposed structures. If FEMA has not defined a BFE, a site-specific hydraulic analysis will be required to determine the BFE prior to deeming the application complete (CME Sec. 34-32.b2).
 - Flood zone boundaries and floodwater surface elevation. If the property proposed to be developed is within or adjacent to the 100-year flood zone (Zone A) or the National Flood Insurance Program, Flood Insurance Rate Map, the extent of Zone A shall be clearly drawn on the tentative map and the 100-year flood water surface elevation shall be shown. The map shall show the appropriate location of the Floodway Boundary as shown on the latest edition of the "Flood Boundary and Floodway Map" published by FEMA.
- ENGINEERED CROSS SECTIONS. A minimum of two cross-sections drawn with an exaggerated vertical scale, with scale noted, through critical portions of the site extending beyond the property line to the opposite curb line of adjacent streets, or to a minimum of 50 feet onto adjacent properties. Sections shall include existing topography, final grades, existing and proposed structures, fences, walls, property lines, dedications, curb, gutter, and sidewalks. Section locations shall be identified on the Site Plan.
- TRUE CROSS SECTIONS. A minimum of two cross-sections (more as needed to showing varying site conditions) drawn at 1:1 scale (same scale used for both vertical and horizontal axes), 1"=20' minimum scale, with scale noted, and a graphic bar scale, through critical portions of the site extending 50 feet beyond the property line onto adjacent properties or to the property lines on the opposite side of adjacent streets. Sections shall include existing topography, final grades, location and height of existing and proposed structures, fences, walls, roadways, parking areas, landscaping trees, and property lines. Section location shall be identified on the Site Plan.
- PRELIMINARY GRADING AND DRAINAGE PLAN. Drawn to the same scale as that used for the Site Plan with the project footprint "grey lined" behind the information required below:
 - Existing topography and proposed grading at 2 foot contour intervals for slopes up to 10% and contour intervals of 5 feet for slopes over 10%, and at such intervals that the contour lines will not be spread more than 130 feet (ground distance) apart; pad elevations and finished floor elevations; spot elevations; location and height of all retaining walls, swales and inlets indicating top of bank; top of curb (TOC), top of wall (TOW), base of wall (BOW), invert and grate elevations.



- Average slope of property, and percentage of slope for all finished slopes, driveways, roadways and trails or pathways.
- Contours shall extend 50 feet onto all adjacent properties showing existing improvements and spot and pad elevations for the adjacent properties.
- A calculation of amount of earth in cubic yards to be moved, imported, or exported from the site, if total is greater than 50 cubic yards.
- Preliminary drainage information showing spot elevations, pad elevations, existing catch basins, and direction of proposed drainage, including appropriate street grade and existing and proposed storm drain locations, location of catch basins and off-site connections with details of swales and drainage structures.
- STORMWATER CONTROL PLAN. Review the <u>Stormwater Control Plan Checklist</u>. If the project creates or replaces more than 10,000 sq. ft. of impervious area, a Stormwater Control Plan and report is required. Provide the following information to determine if the project meets this threshold:
 - Site size in sq. ft.
 - Existing impervious surface area (all land covered by buildings, sheds, patios, parking lots, streets, paved walkways, driveways, etc) in sq. ft.
 - Impervious surface area created, added, or replaced in sq. ft.
 - Total impervious surface area in sq. ft.
 - Percent increase/replacement of impervious surface area (new impervious surface area in sq. ft./existing impervious surface area in sq. ft. multiplied by 100).
 - Estimated area in sq. ft. of land disturbance during construction (including clearing, grading, or excavating).
- PRELIMINARY UTILITY PLAN. Drawn to the same scale as that used for the Site Plan, with scale noted, showing the location and dimensions of existing and proposed utilities including water supply system, sanitary sewers and laterals, drainage facilities/storm drainage system, wells, septic tanks, underground and overhead electrical lines, utility poles, aboveground utility vaults and meters, transformers, underground irrigation and drainage lines, backflow prevention and reduced pressure devices, electroliers, lighting fixtures, street lights, traffic signal poles, traffic signal pull boxes, signal cabinets. The project footprint shall be "grey lined" behind the information required above.
- TRAFFIC SIGNING AND STRIPING PLAN. Drawn to the same scale as that used for the Site Plan, with scale noted, showing existing and proposed signing, and marking identified by the appropriate current City standards and MUTCD (Manual on Uniform Traffic Control Devices)/Cal Trans details. The plan shall provide dimensions for all lane widths measured to the center of the lane line.

If proposing new building construction, provide the following:



- OBJECTIVE DESIGN STANDARDS CHECKLIST. For residential projects, submit a completed objective design standards checklist.
- LIGHTING PLAN. Location and type of exterior lighting, both affixed to the building and freestanding, any and all lights for circulation, security, landscaping, building accent or other purpose.
- PHOTOMETRIC PLAN. Provide a photometric plan corresponding to the LIGHTING PLAN, above. Antioch Municipal Code § 9-5.1715 states, "lighting shall not shine directly onto an adjacent street or property. Minimum illumination at ground level shall be two footcandles but shall not exceed one-half foot-candles in a residential district." The photometric plan should meet these requirements.
- o **FLOOR PLANS.** Plans shall be drawn at 1/8"=1' minimum scale.
- o **ROOF PLAN.** Plan shall be drawn at 1/8"=1' or larger scale. The plan shall include property lines, outline of building footprint, ridgelines, valleys, flat roof areas, roof pitch and rooftop mechanical equipment, and screening. Plans shall show existing roof forms and roof forms to be added or changed.
- SIGNS. Plan shall be drawn at 1"= 20' minimum scale and shall include colors, materials, font types and sizes, dimensions, and lighting details of all signs including address, numbers, wall signs and free-standing ground signs. Show dimensioned location and mounting details of signs on building elevations and location of ground signs on site plan. A colored rendering of the sign shall be provided.
- o **BUILDING ELEVATIONS.** Plans shall be drawn at 1/8" = 1' minimum scale; dimensioned vertically and horizontally with sample representations at ¼"=1' scale for detail areas. Elevations shall not include superimposed landscaping and trees that hide the buildings. The plans shall include:
 - Detailed building sections showing depth of reveals, projections, recesses, etc.
 - Details of vents, gutters, downspouts, scuppers, external air conditioning equipment, etc.
 - Details including materials and dimensions of door and window treatments, railings, stairways, handicap ramps, trim, fascia, soffits, columns, fences, and other elements which affect the building. Provide wall sections at ½"=1' scale to clarify detailing as appropriate.
 - Clearly label proposed color and materials.
- COLOR AND MATERIALS BOARD. Cut sheets of materials and color palette representative
 of actual materials/colors for all signs and structures related to the signs. Identify the
 name of manufacturer, product, style, identification numbers and other pertinent
 information on the display.



- LANDSCAPE PLAN. Plan shall be drawn at 1"=20' or larger scale. The plan shall be consistent with the Water Efficient Landscape Guidelines, attached. The plan shall include the following:
 - Planting plan and plant list indicating appropriate trees, shrubs, groundcovers, turf
 varieties, mulches, and other surfacing materials. Trees shall be a minimum of 15-gallon
 size and shrubs a minimum of 5-gallon size. Tree sizes may be required to be increased
 depending on project location, size, or other conditions.
 - Landscape grading plan (may be combined with final site plan or planting plan).
 - Schedule for finish grading, soil preparation and treatment, planting mulching and landscape maintenance.
 - Plan for non-vegetative landscape improvements: paving, fences, walls, retaining walls, planters, trash enclosures, arbors, etc. (may be combined with final site plan or architectural drawings).
 - Statement indicating that a fully automatic irrigation system will be provided.

LINKS

- A. Property Owner Authorization
- B. Statement of Understanding for Project Billing
- C. Copyright Form
- D. Stormwater Control Plan/Report Checklist
- E. Objective Design Guidelines